



Product Service

CERTIFICATE

No. Z10 040594 0037 Rev. 00

Holder of Certificate: wenglor sensoric GmbH

wenglor Str. 3
88069 Tettnang
GERMANY

Factory(ies):

040594

Certification Mark:



Product:

**Electro-Sensitive Protective Equipment
Safety Light Curtain / Array (Type 4)**

Model(s):

SEFG and SEFB series

Parameters:

Power supply: 24 Vdc $\pm 20\%$ (SELV/PELV)
Power consumption: 2 A
Ambient temperature: $-30\text{ }^{\circ}\text{C} \dots +55\text{ }^{\circ}\text{C}$
Safety output: PNP, $2 \times \leq 300\text{ mA}$
Degree of protection: IP65, IP67
Safety level: Cat 4, PL e / SIL 3

The report and the user documentation in the current valid revision are mandatory part of this certificate. The product complies with the safety levels only if the specifications documented in the currently valid revision of this report are met. The certified components are listed in report wT94637T in the current valid revision.

**Tested
according to:**

EN 61496-1:2013
EN 61496-2:2013
EN ISO 13849-1:2015
EN 61508-1:2010
EN 61508-2:2010
EN 61508-3:2010

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.:
Valid until:

wT94618T
2024-11-18

Date, 2019-11-19

(Peter Weiß)